Work Order ID 97333
February-14-13 3:18:08 PM

Item ID: Revision ID: Item Name:	D3245-2 Panel			Accept	*N900	<u>1040</u>	100)* s	etup Star Stop	IVI	S1* S2*
Start Date: Required Date:	2/14/13 2/28/13	Start Qty: 4.00 Req'd Qty: 4.00	*4* *4*		Cust Item I Customer:	ID:					
Approvals:	Process Pla	in: MC5		,		ate:		` R	tun Star Stop	1/1	R1* R2*
Sequence ID/ Work Center II	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Rev	ision Nbr			7.8						
D3245	D										
100 *1 Waterjet Watery		FLOW WATER JET		0.00		:		6	O_		Jm13-3-13
FLOW CNC Waterjo 304. めるユ	et	I-Cut as per Dwg Rev: Prog Rev:		g.D3245-1/-2****							į
		2-Deburr if	necessary								ļ
110		QC2- Inspect parts off m	achine FAI/FAIB	0.00							•
110 QC Quality Control		Memo		0.00	margood :			_6_			_Jm/3-3-13

	•										DQA:	Date:	
NCR:	Yes /	No				WORK ORDER NON-C	ON	FORN	MANCE / UPDATE			_	
											QA Closed:	Date:	
Work Orde						DISPOSITION			AGAINS	T DE	PARTMENT/	PROCESS	
Part No				· · · · · · · · · · · · · · · · · · ·	Rework Scrap Use-as-is Work Order Update Skid-tube Machining Machining Small Fab Thermoforming Large Fab Composite			g		Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other		
Root					Descri	ption of work order update	In	itial	Action		Sign &		
Cause	D	ate	Step	Qty	(or Non-conformance	Chie	ef Eng	Description		Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training													
Unapproved							<u> </u>						
							AULT	CATE	GORY				
Landi	ng Gear				_	General					1		7
	\vdash	ding				Bend	-	Grain		-	Ovalized	<u> </u>	Pressure/Forced
	\vdash	tre Not	Concer	tric to	o/s	BOM/Route		Hardwa		-	Over/Under	<u> </u>	Temperature/Cure
	Cra	cks			L	Broken/Damaged	\vdash	-	on Incomplete	\vdash	Part Incorre	-	Weld
	Cru	shed/Cri	imped.		L	Burrs	Ľ	Instructions Incomplete/Unclear Par			Part Lost/Mi	ssing	Wrong Stock Pulled
	Cuf	fs				Contamination	Ш	Mainte	enance	<u> </u>	Part Moved		
1	Hea	t Treat				Countersink		Mislabeled			Positioned V	Vrong	_

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

Power Loss/Surge

Other

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

February-14-13 3:18:08 PM D3245-2 Item ID: Accept *N900040100* Setup Start **Revision ID:** Item Name: Panel **Start Date:** 2/14/13 Start Oty: 4.00 **Cust Item ID:** Required Date: 2/28/13 Req'd Qty: 4.00 **Customer:** Reference: Run Approvals: Process Plan: Date: Tooling: Date: Stop QC: ____ Date: SPC (Y/N): Date: Operation Sequence ID/ Set Up/ Tool ID Tool # Plan Accept Reject Reject Insp. **Work Center ID** Description **Run Hours** Code Qty **Qty** Number Stamp 120 QC8- Inspect parts - second check 0.00 *120* QC 0.00 Memo Quality Control 130 0.00 NC BRAKE *130* Brake NC 0.00 Memo Brake NC 1- C'sink as per Dwg D3245

2- Form D3245-1 as per Dwg D3245

3- DEBURR

Identify as D3245-1

13/03/22

J3/04/04

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-C	CONFO)RN	MANCE / UPD		•		-
											QA Closed:	Date:	
Work Orde	or:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
WORK OIG	ei. -	·.·				Rework	1		Skid-tube	Crosstube		Water Jet	Engineering
Part I	۷n					Scrap	1 1		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
	-		- 4			Use-as-is	l l Th		oforming	Finishing		re/Packaging	Other
NCR I	No.					Work Order Update	1 1		Large Fab	Composite		Supplier	
											,		
Root		•			Descri	ption of work order update	Initia	1	Acti	ion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Chief E	ng	Descri	iption	Date	Verification	QC Inspector
Doc/Data											:		
Equip/Tooling	Ш												
Operator	Ш												
Material	Ш							ĺ					
Setup	Ш						r	l					
Other	Ш		Į.					l					
Process	Ш												
Supplier	Ш												
Training	Ш												
Unapproved			1				<u> </u>				<u> </u>		
							AULT CA	ATEG	ORY				
Landi	_				_	General					1		1. /5
	-	Bending	_			Bend	Gra			<u> </u>	Ovalized	h-1	Pressure/Forced
	\vdash	Centre No	ot Concer	ntric to ()/S	BOM/Route	\vdash	dwar	re on Incomplete	-	Over/Under	 	Temperature/Cure
	. 1/	racke											

Instructions Incomplete/Unclear

Maintenance

Out of Calibration

Out of Sequence

Outside Dimensions

Mislabeled

Misread Offset Wrong Stock Pulled

Other

Part Lost/Missing

Power Loss/Surge

Part Moved
Positioned Wrong

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Crushed/Crimped.

Inspection Strip in Tube

Torque Waves in Extrusion

Cuffs

Heat Treat

Burrs

Contamination

Countersink

Cut Too Short

Drill Holes

Drawing

Finish Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

February-14-13 3:18:08 PM Item ID: D3245-2 Accept *N900040100* Setup Start **Revision ID:** Item Name: Panel Start Oty: 4.00 **Start Date:** 2/14/13 **Cust Item ID:** Required Date: 2/28/13 Req'd Oty: 4.00 **Customer:** Reference: Run Process Plan: Date: Approvals: **Tooling:** Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Reject Accept Reject Insp. Work Center ID Description **Run Hours** Code Qty Number Stamp Qty 140 QC5- Inspect part completeness to step on W/O *140* 0.00 Memo Quality Control 150 Identify as per dwg & Stock Location: 0.00 *150* Packaging 0.00 Memo Packaging 160 QC21- Final Inspection - Work Order Release 0.00 *160* 0.00 Memo Quality Control

											DQA:	Date	::
NCR:	Yes	/ No				WORK ORDER NON-	COI	NFORM	ANCE / UPDAT	ΓΕ	·	.	
		,									QA Closed:	Date	: :
Work Ord	or:					DISPOSITION				AGAINST DEI	PARTMENT	PROCESS	
Work Ord	er. -					Rework	1		Skid-tube C	rosstube		Water Jet	Engineering
Part I	No.					Scrap	1	1		small Fab	Pro	d. Eng. Coor.	Quality
	•					Use-as-is]	Therm	noforming	Finishing	Rec/Stor	e/Packaging	Other
NCR I	No.	-			<u> </u>	Work Order Update]		Large Fab Co	omposite		Supplier	
Root					Descri	ption of work order update		Initial	Action		Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Cr	nief Eng	Description	on	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling													
Operator													
Material							1						
Setup													
Other													
Process		•					ļ						
Supplier													
Training	П												
Unapproved	П											<u> </u>	
						F	AUI	LT CATE	GORY				
Landi	ng G	ear				General	_	_		·	,	_	• •
		Bending				Bend		Grain			Ovalized	L	Pressure/Forced
		Centre N	ot Conce	ntric to	o/s	BOM/Route		Hardwa	re	<u> </u>	Over/Under	tolerance	Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct	Weld
		Crushed/	Crimped.			Burrs		Instruct	ions Incomplete/Uncle	ear	Part Lost/Mi	issing	Wrong Stock Pulled
	П	Cuffs				Contamination		Mainte	nance		Part Moved		
	П	Heat Trea	at			Countersink		Mislabe	led		Positioned V	Vrong _	
	П	Inspectio	n Strip in	Tube		Cut Too Short		Misreac	I		Power Loss/	Surge	Other
	П	Ripples in	Bend			Drill Holes		Offset		_			

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

February-14-13 3:18:12 PM

Work Order ID: 97333

Parent Item: D3245-2

Parent Item Name: Panel

97333

D3245-2

Start Date: 2/14/13

Required Date: 2/28/13

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP A04.07.07New issueKJ/JLM

ECN 1052 07-10-31 DD verified by:JLM IPP Rev:b

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status	
M304S22GA		Purchased	No			100	sf	222.2600	0.804	3.3 8526 3				
M304S220	GA								**	5.B			JM13-3-13	,

Location	Loc Qty	Loc Code	
MAT020	222.26		
118271	10.76		
120866	55.6		
121889	155.9		131889

NCR: Y	es /	No No				WORK ORDER NON-O	O	NFORM	MANCE / UPI	DATE		•			
				_								QA Closed:	Da	te:	
Work Orde	`.		•		·	DISPOSITION				AGAINS	T DEI	PARTMENT	PROCESS		
Work Orde	_					Rework Scrap		1	Skid-tube Machining noforming	Crosstub Small Fa Finishin	b		Water Jet d. Eng. Coor. e/Packaging		Engineering Quality Other
NCR N	No					Use-as-is Work Order Update			Large Fab	Composit	~	Nec/3tol	Supplier	-	Other
Root		'			Descri	ption of work order update		nitial	Act	tion		Sign &			
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Desci	ription		Date	Verificatio	n	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training											-				
Unapproved	LL			<u> </u>	l		<u> </u>	T CATE	CORV						
المحمدان						General	AUL	CAIL	JONT						
Landi	В	ar ending entre No	t Concer	ntric to	o/s	Bend BOM/Route		Grain Hardwa	re			Ovalized Over/Under	tolerance		Pressure/Forced Temperature/Cure
	⊢—	racks				Broken/Damaged	\vdash	<u> </u>	on Incomplete		<u> </u>	Part Incorred		<u> </u>	Weld
	${f oxdot}$	rushed/0	Crimped.		<u> </u>	Burrs	<u> </u>	i	ions Incomplete/	Unclear	<u> </u>	Part Lost/Mi	ssing		Wrong Stock Pulled
	_	uffs				Contamination	<u></u>	Mainte			-	Part Moved			
	-	eat Trea			<u> </u>	Countersink	\vdash	Mislabe			\vdash	Positioned V	_		1
	-	spection	-	Tube	<u> </u>	Cut Too Short	_	Misread	i			Power Loss/	Surge	<u></u>	Other
!	R	ipples in	Bend			Drill Holes	1	Offset							

Out of Calibration
Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G


DART AEROSPACE LTD	Work Order: 97	7333
Description: Panel	Part Number:	03245-2
Inspection Dwg: D3245 Rev: &	/18.02 / Pa	age 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.098	+0.004/-0.001	0.098	-		V	Jkmoi
Ø0.375	+0.006/-0.001	0.376"	_		V	
0.400	+/-0.010	0.406"	_		V	
1.117	+/-0.010	1, 133,,	_		V	
1.150	+/-0.010	1.155"	_		V	
1.000	+/-0.005	1.002,	_		V	
10.57	+/-0.030	10.579"	_		V	
9.500	+/-0.010	9.503"	-		V	
8.350	+/-0.010	8.357	_		ν	
3.500	+/-0.010	3.506"	-		V	
9.40	+/-0.030	9.409"	_		V	
11.04	+/-0.030	11.052"	•		V	
6.200	+/-0.010	6.206"	-		<i>\</i>	
2.230	+/-0.010	3.336")		V	
2.020	+/-0.010	2036,	-		ν	
			• ;			
			/DAC			

Measured by:	Jm	Audited by:	0 9	Preliminary Approval:	
Date:	13-3-13	Date:	13-03-14	Date:	

Rev	Date	Change	Revised by	Approved
A	08.09.04	New Issue	KJ/DD (A	1
В	12.05.14	Dimensions updated per Dwg Rev C	KJ 🙀	17.11



8

KLICKNIO

ENGINEERING


UNCONTROLLED COPY


SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER MLJ 13 02-14

С





D3245-043 DOOR ASSY

QTY -043	P/N	DESCRIPTION
X	D3245-043	ACCESS PANEL ASSY
1	D3245-3	DOOR
i	D3245-7	GASKET
8	127H-35	GROMMET
8	2351-20-012-C3Y	STUD


NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP ECGES: N/A
6) INSTALL D3245-7 GASKET USING 3M SCOTCH-GRIP 1300/1300L ADHESIVE IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
7) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
8) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-043" AND B/N "BXXXXX" PER QSI 044 METHOD 6.1
9) WEIGHT: 0.74 lbs


DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DESIGN DRAWN DRAWING NO. REV. D CHECKED D3245 SHEET 2 OF 7 MFG. APPR. TITLE SCALE APPROVED ACCESS PANEL ASSY


COPYRIGHT 6 2804 BY DART AEROSPACE LTD


TO COPYRIGHT 6 2804 BY DART AEROSPACE LTD


THE TOCKNOWN IN HIGH TWO CORPORATION IN THE PROPERTY OF NTS DE APPR. DATE 12.10.16













D

С

iB





D3245-X GASKET

P/N	LENGTH	
D3245-9	8.35	
D3245-11	9.01	
D3245-13	9.50	

DELEAS : 10 2012 - 11 - 06 E/

DESIGN	7#	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED	1,97	DRAWING NO.	REV. D
MFG. APPR.	M o	D3245	SHEET 7 OF 7
APPROVED	AN	TITLE	SCALE
DE APPR.		ACCESS PANEL ASSY	NTS
DATE 12.10.16		COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONTROLING, MAD IS SUPPLIED ON THE EXPRESS ON THE PRIVATE OF THE PRIVATE	

D

С

NOTES:
1) MATERIAL: THERMO-CHEM P/N G-89, 0.060 THICK
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: D3245-7 = 0.04 lbs; D3245-9/-11/-13 = LESS THAN 0.01 lbs